

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

flow (tube or column) and high (viscous or visc



[Advanced Search](#)
[Preferences](#)

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 11 - 20 of about 464 for **flow (tube or column) and high (viscous or viscosity) (liquid or stream)**

[The Complete Technology Book on Fibre Glass, Optical Glass and ...](#)

Some **high** oil absorption fillers, while providing **high viscosity**, also have a substantial ...

The latter is a **liquid**, is easy to measure, and easy to **mix**. ...

[www.niir.org/.../index.html](#) - 201k - [Cached](#) - [Similar pages](#)

[\[PDF\] Untitled](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

determined for **Mix A** and **Mix E**, where a minor component. may be lost in the noise. ... a

melt flow rate standard, it remains certified for this ...

[polymers.nist.gov/annuals/2004/polymers2004ra.pdf](#) - [Similar pages](#)

[\[PDF\] The Society of Rheology 72nd Annual Meeting Program and Abstracts](#)

File Format: PDF/Adobe Acrobat

Variation with increasing speed of **mix** and change in **mixer** geometry are ... polymer **melt flow**. For this, we use the recently proposed pom-pom model which ...

[www.rheology.org/SoR/publications/Meeting_Booklets/SoR_Abst_012.pdf](#) - [Similar pages](#)

[\[PDF\] Untitled](#)

File Format: PDF/Adobe Acrobat

It is a very **high-viscosity liquid**, which resembles a very heavy, dark ... batch **mixer** are the **mixing** bowl and the **mix** blade assembly. The **mixing** ...

[www.fas.org/nuke/control/mtrc/text/mtrc_handbook.pdf](#) - [Similar pages](#)

[\[PDF\] Starting a Waste Plastics Recycling Business](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

stacked in 3 bale **high columns** (rather than brickwork stacking), ... Any changes in polymer **mix** would change the **melt flow** rate and affect the rate that the ...

[www.sac.ac.uk/mainrep/pdfs/wasteplasticsrecycling.pdf](#) - [Similar pages](#)

[\[PDF\] Tariff concessions gazette 040317](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

(b) a **melt flow** index (MVI 250 degrees C/2, 16 kg). in the range 8.5-9.5 cm cubed/10 min; ... incorporating facilities to meter and **mix** a concentrated ...

[www.customs.gov.au/webdata/resources/files/Tariffgazette040317.pdf](#) - [Similar pages](#)

[\[PDF\] Pollution Prevention Through Good Operating Practices](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

impellers, pump re-circulation or an in-line **static mixer**. ... Use non-corroding **tube**. ...

Recover sand and **mix** old and new sand for mold making. ...

[www.tceq.state.tx.us/assistance/P2Recycle/P2Info/industry_p2_opportunities__719259.pdf](#)
- [Similar pages](#)

[\[PDF\] THE RIGHT RESULTS!!!](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

operating the **mixer** at medium speed. 3. **Mix** at **high** speed for at least 5 minutes. ... mixes, from a thin **liquid** to a **viscous** grout (1:3. water to cement). ...

[www.multicretesystems.com/pdf/MSICATALOG2003.pdf](#) - [Similar pages](#)

[PDF] [TO 1-1-8](#)

File Format: PDF/Adobe Acrobat

Mix the chemical remover well with a mechanical **mixer** ... **Viscosity** is a measure of a liquid's resistance to **flow**. Very **viscous** or thick liquids such as ...


www.robins.af.mil/logistics/LGEDA/Documents/TechOrds/Draft_1-1-8.pdf - [Similar pages](#)

[PIDD Experimental PHP/mysql started July 2002. Dictionary ...](#)

AGITATOR: /element/ A motor-driven paddle or blade used to **mix** liquids and ...

BOTTOMS: /class/ The bottom **liquid stream** leaving a separation process in ...

w3.posc.org/pidd/pidd_snapshot1_050919.htm - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

flow (tube or column) and high (viscous or visc

[Search](#)

[Advanced Search](#)
[Preferences](#)

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results 21 - 30 of about 464 for **flow (tube or column) and high (viscous or viscosity) (liquid or stream)**

[\[PDF\] Application of Ion Exchange Processes for the Treatment of ...](#)

File Format: PDF/Adobe Acrobat

For use in **columns** with a downward **flow** of **liquid** the concentration of total ... the mixture becomes more **viscous** and is thus. more difficult to **mix**. ...

www-pub.iaea.org/MTCD/publications/PDF/TRS408_scr.pdf - [Similar pages](#)

[\[PDF\] The Society of Rheology 74th Annual Meeting Program and Abstracts](#)

File Format: PDF/Adobe Acrobat

those computed for purely **viscous flow** in order to clearly demonstrate the role of ...

Viscosity reduction mechanism in **high** molecular mass polythetylen **melt** ...

[www.rheology.org/sor/publications/ Meeting_Booklets/SoR_Abst_02a.pdf](http://www.rheology.org/sor/publications/Meeting_Booklets/SoR_Abst_02a.pdf) - [Similar pages](#)

[\[PDF\] Program overview](#)

File Format: PDF/Adobe Acrobat

gas jets surrounded by a **liquid stream** can be produced by micro-suction in a ... which the breaking is able to **mix** fluid across the depth of the boundary ...

flux.aps.org/meetings/YR98/BAPSDFD98/pdf/aps98dfd.pdf - [Similar pages](#)

[\[PDF\] Microsoft Photo Editor - Sin t.tulo8](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

to do the gas evacuation, the **liquid** that has a **high** boiling point and does not ...

spontaneous, particulate systems will only **mix** as a result of mechanical ...

www.fcq.uach.mx/archivos/unitarias/capitulo4.pdf - [Similar pages](#)

[Process for making tortilla chips with controlled surface bubbling ...](#)

F. The RVA measured peak **viscosity** of the **high** amylose starch is ... A planetary type of batch **mixer** can also be used. The length of **mix** time with these ...

freepatentsonline.com/6572910.html - 219k - [Cached](#) - [Similar pages](#)

[\[PDF\] Manual For Preventing Spills Of Hazardous Substances At Fixed ...](#)

File Format: PDF/Adobe Acrobat

liquid, solid), process vessels and **columns**, **flow** systems including ... very **viscous**, the batches are small, intimate **mixing** is required, and/or ease ...

www.p2pays.org/ref/17/16903.pdf - [Similar pages](#)

[\[PDF\] Superabsorbent Polymer Composite \(SAPC\) Materials and](#)

File Format: PDF/Adobe Acrobat

liquid water and water vapor. The absorption capacity can be as **high** as 2000 grams ... and execute the polymerization; 2. polymer intercalation: **mix** the ...

[https://fridolin.tu-freiberg.de/ archiv/pdf/ChemieGaoDeyu148477.pdf](https://fridolin.tu-freiberg.de/archiv/pdf/ChemieGaoDeyu148477.pdf) - [Similar pages](#)

[\[doc\] 3](#)

File Format: Microsoft Word

NOTE Permeated gas and **liquid** is generally free to move and **mix** in the annulus. ...

stream. flow circuit consisting of one or more **tubes** in series ...

[isotc.iso.org/.../2-ISO_TC67_Terms_and_Definitions_Database_2005.doc?](http://isotc.iso.org/.../2-ISO_TC67_Terms_and_Definitions_Database_2005.doc?func=doc.Fetch&nodeid=5398344)

[func=doc.Fetch&nodeid=5398344](#) - [Similar pages](#)

Non Topical/Unaligned Session Papers

409e **Mixing** Characteristics of **High Viscous** Fluid by a Multi-Holed **Static Mixer**.

Masafumi Minami Hiroshi Suzuki Yoshiyuki Komoda Hiromoto Usui ...

shop.omnipress.com/aiche-individuals/ 2005annual/NonTopical_TOC.htm - 953k -

Cached - Similar pages


[PDF] Memorandum D11-11-2 In Brief Ottawa, June 30, 2000 SUBJECT POLICY ...

File Format: PDF/Adobe Acrobat

This is a dark brown, **viscous liquid** containing a mixture of sugars, small amounts of ...

batch **mixer** to **mix** the meals, a cooker/extruder, a water and steam ...

www.asfc.gc.ca/E/pub/cm/d11-11-2/d11112-e.pdf - Similar pages



Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) **Next**

flow (tube or column) and high (viscous)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

flow (tube or column) and high (viscous or visc

[Advanced Search](#)
[Preferences](#)

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results **31 - 40** of about **464** for **flow (tube or column) and high (viscous or viscosity) (liquid or stream)**

[PDF] [locating and estimating sources of Styrene](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

spray guns require a large volume of air **flow** at **high** pressures. ... **viscous mix** is extruded, foaming as the blowing agent evaporates, ...

www.epa.gov/ttn/chief/le/styrene.pdf - [Similar pages](#)

[doc] [Chapter II](#)

File Format: Microsoft Word - [View as HTML](#)

In **column** chromatography, the stationary phase is held in a narrow **tube** (a ... The most common **viscous liquid** is glycerol. The method is suitable for polar ...

www.unibuc.ro/hosting/leonardo/products/Textbook/ChapterII.doc - [Similar pages](#)

[Titles available from all](#)

3-D **Viscous Flow** CFD Analysis of the Propeller Effect on an Advanced Ducted ... for Estimating **Liquid** Diffusion Coefficients Requiring No **Viscosity** Data ...

gltrs.grc.nasa.gov/cgi-bin/GLTRS/browse.pl?all - 806k - [Cached](#) - [Similar pages](#)

[Library Guides](#)

Measuring polymer **melt** density and **viscosity** in realtime during extrusion ... formulation for the inclusion of **viscous** effects in unsteady **flow** analysis. ...

www.uwm.edu/Libraries/guides/theses/t9999.html - 416k - [Cached](#) - [Similar pages](#)

[Library Guides](#)

M652, Miller, William S. **High** voltage breakdown phenomena in x-ray **tubes**. 1976. ...

Multiphase, turbulent, reacting **flow** in a **liquid** metal combustor. 1993. ...

www.uwm.edu/Libraries/guides/theses/t9999sub.html - 241k - [Cached](#) - [Similar pages](#)

[ScienceDirect - International Journal of Heat and Mass Transfer ...](#)

For very **high viscosity** fluids in channel **flow**, a fully packed channel was found to ... of a **mixing** device on a convective heat-transfer in a **static mixer**. ...

[dx.doi.org/10.1016/S0017-9310\(02\)00529-X](http://dx.doi.org/10.1016/S0017-9310(02)00529-X) - [Similar pages](#)

[PDF] [UFC 3-230-02 O&M: Water Supply Systems](#)

File Format: PDF/Adobe Acrobat

Maintenance of rapid **mix** and flocculation facilities is included in par. ... within the pipe begins to **melt**. As the water starts to **flow**, the rest of the ...

www.wbdg.org/ccb/DOD/UFC/ufc_3_230_02.pdf - [Similar pages](#)

[Book of Abstracts](#)

A **mix** of Frutalose® L85 and Frutafit® CLR (Sensus powdered inulin) is used to ... w/v) was pumped with a downward **flow** of 5 ml/min and the outlet **stream** was ...

ift.confex.com/ift/2005/boa.htm - 977k - [Cached](#) - [Similar pages](#)

[PDF] [Pollution Prevention Options - Fact Sheets for Industry](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Preheat **column** feed (e&, by cross exchange with another **stream**). ... Recover sand and **mix** old and new sand for mold making. Recover sand by washing, ...

www.p2pays.org/ref/23/22489.pdf - [Similar pages](#)


[[More results from www.p2pays.org](#)]

[PDF] [Annual Report](#)

File Format: PDF/Adobe Acrobat

Viscosity effect on homogenous-heterogeneous **flow** regime ... Jet mixing of **high viscous** liquids. AWP. 10. Sumitra Anilkumar ...

www.udct.org/info/ar04-05.pdf - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [Next](#)

flow (tube or column) and high (viscous)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

flow (tube or column) and high (viscous or visc

[Search](#)

[Advanced Search](#)
[Preferences](#)

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Web Results **41 - 50** of about **464** for **flow (tube or column) and high (viscous or viscosity) (liquid or stream)**

[\[PDF\] Modeling and Simulation of Micro Reactors: Sections 2.6-2.9](#)

File Format: PDF/Adobe Acrobat

sign a new **mixer** allowing for a very **high** throughput and short **mixing** times ... Zaghloul, ME, Evaluation of **viscous** dissipation in **liquid flow** in ...
doi.wiley.com/10.1002/3527603042.ch2b - [Similar pages](#)

[\[PDF\] Criteria for Sewage Works Design](#)

File Format: PDF/Adobe Acrobat

relatively **high liquid-stream** contaminant concentrations. In most cases, the ...
Independent floating **mixer** systems **mix** with floating mechanical ...
www.ecy.wa.gov/pubs/9837.pdf - [Similar pages](#)

[\[PDF\] An Annual Progress Report of the NCHRP IDEA Program - 2002](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The study also established the survival of adhesive-filled **tubes** during **mixing** in the concrete **mixer**, maintenance of the **liquid** phase of the adhesive, ...
gulliver.trb.org/publications/sp/nchrp-idea_report_2002.pdf - [Similar pages](#)

[\[PDF\] LA-UR-](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

state and/or transient, compressible or incompressible **viscous flow** ... **viscosity** is used to spread shocks over several **mesh** zones. The van Leer advection ...
www.highproductivity.org/026284coverCEEGcodes.pdf - [Similar pages](#)

[\[PDF\] MIST COOLANT SYSTEMS](#)

File Format: PDF/Adobe Acrobat

The low **viscosity** enables better **flow** rates and allows for more heat removal ... and working **mix** a pain? Are you tired of hauling coolant **mix** across the fac ...
www.basstool.com/PDF/Binder17.pdf - [Similar pages](#)

[\[PDF\] UFC 3-430-02FA Central Steam Boiler Plants](#)

File Format: PDF/Adobe Acrobat

form compounds with **melting** temperatures ... that **flow** characteristics resemble that of a **liquid**. ... **screen mesh** to remove solids and will have a blow- ...
www.wbdg.org/ccb/DOD/UFC/ufc_3_430_02fa.pdf - [Similar pages](#)

[\[PDF\] TCE 2005-4 1..71](#)

File Format: PDF/Adobe Acrobat

This method was also used to predict the **viscosity** of gas **mix**-tures under pressure. ... the **static mixer** elements is analogous to the **flow** through porous ...
dechema.de/data/dechemaneu/TCE_2005-4.pdf - [Similar pages](#)

[References on dry granular media by lui](#)

Granular boycott effect: How to **mix** granulates . keywords: experiment **tube** pipe **mixing** ...
The **flow** of powders and of liquids of **high viscosity**
www.ica1.uni-stuttgart.de/~lui/REFS/references.html - 801k - [Cached](#) - [Similar pages](#)

[\[PDF\] BREF for Waste Treatments](#)

File Format: PDF/Adobe Acrobat


operation is the minimum standard of processing a waste **stream mixing** of ... pumps able to handle **high viscosity** materials. **Liquid** wastes are handled by ...

www.jrc.es/pub/english.cgi/d1177834/29%20Reference%20Document%20on%20Best%20Available%20Techniques%20for%20... - [Similar pages](#)

KCI Query

Use ion exchange **columns** to remove heavy metals from the waste **stream**. ... The **mix** is removed from the vacuum **mixer** and the rubber **tube** placed in the **mix**. ...

epic.er.doe.gov/epic/docs/KCI%20Query.htm - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4118649	flow\$2 enar4 (tube or column) and (viscous or thick\$4) near20 (liquid or stream) and (mix or mixing or mixer or stir or stirr\$3) and (screen or mesh) and melt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:28
L2	4117219	flow\$2 enar4 (tube or column) and (viscous or thick\$4) near20 (liquid or stream) and (mix or mixing or mixer or stir or stirr\$3) and (screen or mesh) and melt\$4 and static	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:28
L3	4117219	flow\$2 enar4 (tube or column) and (viscous or thick\$4) near20 (liquid or stream) and (mix or mixing or mixer or stir or stirr\$3 or blender) and (screen or mesh) and melt\$4 and static	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:28
L4	727	flow\$2 near4 (tube or column) and (viscous or thick\$4) near20 (liquid or stream) and (mix or mixing or mixer or stir or stirr\$3) and (screen or mesh) and melt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:35
L5	314	flow\$2 near4 (tube or column) and (viscous) near20 (liquid or stream) and (mix or mixing or mixer or stir or stirr\$3) and (screen or mesh) and melt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:35
L6	297	flow\$2 near4 (tube or column) and (viscous) near20 (liquid or stream) and (mix or mixing or mixer) and (screen or mesh) and melt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:35
L7	253	flow\$2 near4 (tube) and (viscous) near20 (liquid or stream) and (mix or mixing or mixer) and (screen or mesh) and melt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:35
L8	202	flow\$2 near2 (tube or column) and (viscous) near20 (liquid or stream) and (mix or mixing or mixer) and (screen or mesh) and melt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:36

EAST Search History

L9	5	flow\$2 near2 (tube or column) and high\$4 near2 (viscous) near20 (liquid or stream) and (mix or mixing or mixer) and (screen or mesh) and melt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:36
L10	143	flow\$2 near2 (tube or column) and high\$4 near2 (viscous or viscosity) near20 (liquid or stream) and (mix or mixing or mixer) and (screen or mesh) and melt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:36
L11	8	flow\$2 near2 (tube or column) and high\$4 near2 (viscous or viscosity) near20 (liquid or stream) and static near2 (mix or mixing or mixer) and (screen or mesh) and melt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/13 11:36